



Technical information



Description	Article no.	Datasheet	Photometry	Installation guide	RCM-Declaration
BARRY LED 600 2400 840	96 631 215	Datasheet	Photometry	Installation guide	RCM-Declaration
BARRY LED 1200 4000 840	96 630 490	Datasheet	Photometry	Installation guide	RCM-Declaration
BARRY LED 1500 6000 840	96 630 491	Datasheet	Photometry	Installation guide	RCM-Declaration
BARRY LED 1200 4000 865	96 631 439	Datasheet	Photometry	Installation guide	RCM-Declaration
BARRY LED 600 2000 840 EL2	96 631 216	Datasheet	Photometry	Installation guide	RCM-Declaration
BARRY LED 1200 4000 840 EL2	96 630 492	Datasheet	Photometry	Installation guide	RCM-Declaration
BARRY LED 1500 6000 840 EL2	96 630 493	Datasheet	Photometry	Installation guide	RCM-Declaration
CHLOE TC LED 90 800 830/42/57 DIM WH FP	96 631 233	Datasheet	Photometry	Installation guide	RCM-Declaration
CHLOE TC TRIM WH FLAT	96 631 234	Datasheet		Installation guide	
CHLOE TC TRIM SR REBATED	96 631 235	Datasheet		Installation guide	
CHLOE TC TRIM SR FLAT	96 631 236	Datasheet		Installation guide	
CHLOE TC TRIM BK REBATED	96 631 237	Datasheet		Installation guide	
CHLOE TC TRIM BK FLAT	96 631 238	Datasheet		Installation guide	
CHLOE LED 90 700 830 DIM WH FP	96 629 760	Datasheet	Photometry	Installation guide	RCM-Declaration
CHLOE LED 90 800 840 DIM WH FP	96 629 759	Datasheet	Photometry	Installation guide	RCM-Declaration
GEORGE LED 330 12000 840 FP	96 629 086	Datasheet	Photometry	Installation guide	RCM-Declaration
GEORGE LED 330 18000 840 FP	96 629 087	Datasheet	Photometry	Installation guide	RCM-Declaration
GEORGE LED 390 24000 840 FP	96 629 088	Datasheet	Photometry	Installation guide	RCM-Declaration
GEORGE LED 390 30000 840 FP	96 629 089	Datasheet	Photometry	Installation guide	RCM-Declaration
SET OF GEORGE STIRRUP S (6 pcs)	96 629 371	Datasheet		Installation guide	
SET OF GEORGE STIRRUP M (6 pcs)	96 629 372	Datasheet		Installation guide	
SET OF GEORGE STIRRUP L (6 pcs)	96 629 373	Datasheet		Installation guide	
JULIE 600 LED IP65 1200 865	96 628 549	Datasheet	Photometry	Installation guide	RCM-Declaration
JULIE 600 LED IP65 1800 840	96 628 548	Datasheet	Photometry	Installation guide	RCM-Declaration
JULIE 1200 LED IP65 4000 840	96 665 577	Datasheet	Photometry	Installation guide	RCM-Declaration
JULIE 1200 LED IP65 4000 840 COR MWS	96 630 234	Datasheet	Photometry	Installation guide	RCM-Declaration
JULIE 1200 LED IP65 4000 865	96 628 546	Datasheet	Photometry	Installation guide	RCM-Declaration
JULIE 1500 LED IP65 6000 840	96 665 580	Datasheet	Photometry	Installation guide	RCM-Declaration
JULIE 1500 LED IP65 6000 865	96 628 547	Datasheet	Photometry	Installation guide	RCM-Declaration
JULIE 1200 LED IP65 4000 840 EL2	96 646 833	Datasheet	Photometry	Installation guide	RCM-Declaration
JULIE 1500 LED IP65 6000 840 EL2	96 646 927	Datasheet	Photometry	Installation guide	RCM-Declaration
JULIE LED Spare Mount Kit	96 628 409	Datasheet		Installation guide	
LARA LED 300 1200 840 WH	96 666 105	Datasheet	Photometry	Installation guide	RCM-Declaration
LARA LED 300 1200 840 BLK	96 666 106	Datasheet	Photometry	Installation guide	RCM-Declaration
LARA LED 300 1200 840 WH E2 T/SWITCH	96 648 321	Datasheet	Photometry	Installation guide	RCM-Declaration
LARA LED 300 1200 840 BLK E2 T/SWITCH	96 648 322	Datasheet	Photometry	Installation guide	RCM-Declaration
LARA LED 330 2000 840 WH	96 629 752	Datasheet	Photometry	Installation guide	RCM-Declaration



Technical information



LARA LED 330 2000 840 MWS WH	96 629 754	Datasheet	Photometry	Installation guide	RCM-Declaration
LARA BEZEL TRIM LARGE 300 WH	96 666 122	Datasheet		Installation guide	
LARA BEZEL TRIM LARGE 300 BLK	96 666 124	Datasheet		Installation guide	
LARA BEZEL TRIM LARGE 300 SIL	96 630 073	Datasheet		Installation guide	
LARA BEZEL TRIM X-LARGE 330 WH	96 630 071	Datasheet		Installation guide	
LARA BEZEL TRIM X-LARGE 330 SIL	96 630 072	Datasheet		Installation guide	
LARA EYELID TRIM LARGE 300 BLK	96 666 126	Datasheet		Installation guide	
LARA EYELID GRILLE TRIM LARGE 300 BLK	96 666 128	Datasheet		Installation guide	
LEO LED FL IP66 75W 840 PC	96 630 252	Datasheet	Photometry	Installation guide	RCM-Declaration
LEO LED FL IP66 100W 840 PC	96 630 253	Datasheet	Photometry	Installation guide	RCM-Declaration
LEO LED FL IP66 150W 840 PC	96 630 254	Datasheet	Photometry	Installation guide	RCM-Declaration
LEO LED FL IP66 200W 840 PC	96 630 255	Datasheet	Photometry	Installation guide	RCM-Declaration
LEO LED FL IP66 210W 840 PC	96 630 256	Datasheet	Photometry	Installation guide	RCM-Declaration
RUBY LED 1200x300 3200 840 FP	96 628 981	Datasheet	Photometry	Installation guide	RCM-Declaration
RUBY LED 1200x600 4500 840 FP	96 628 982	Datasheet	Photometry	Installation guide	RCM-Declaration
RUBY LED 600x600 3200 840 FP	96 631 071	Datasheet	Photometry	Installation guide	RCM-Declaration
RUBY LED 600x300 1800 840 FP	96 631 070	Datasheet	Photometry	Installation guide	RCM-Declaration
RUBY LED 1200 x 300 Suspension Kit	96 629 238	Datasheet		Installation guide	
RUBY LED 1200 x 600 Suspension Kit	96 629 085	Datasheet		Installation guide	




Maximum loading of automatic circuit breakers



Barry

SAP Code	Product Description	C10	C13	C16	C20	B10	B13	B16	B20
96630490	BARRY LED 1200 4000 840	12	16	19	24	12	16	19	24
96630491	BARRY LED 1500 6000 840	9	12	15	19	9	12	15	19
96631215	BARRY LED 600 2400 840	22	28	35	44	22	28	35	44
96631216	BARRY LED 600 2400 840 EL2	17	22	28	35	17	22	28	35
96631439	BARRY LED 1200 4000 865	12	16	19	24	12	16	19	24
96630492	BARRY LED 1200 4000 840 EL2	8	11	13	17	8	11	13	17
96630493	BARRY LED 1500 6000 840 EL2	8	11	13	17	8	11	13	17



Chloe

SAP Code	Product Description	C10	C13	C16	C20	B10	B13	B16	B20
96631233	CHLOE TC LED 90 800 830/42/57 DIM WH FP	25	25	25	25	-	-	-	-
96629760	CHLOE LED 90 700 830 DIM WH FP	25	25	25	25	-	-	-	-
96629759	CHLOE LED 90 800 840 DIM WH FP	25	25	25	25	25	25	25	25



George

SAP Code	Product Description	C10	C13	C16	C20	C25	B10	B13	B16	B20	B25
96629086	GEORGE LED 330 12000 840 FP	17	22	22	34	43	8	8	13	17	21
96629087	GEORGE LED 330 18000 840 FP	5	6	6	10	12	2	2	4	5	6
96629088	GEORGE LED 390 24000 840 FP	5	6	6	10	12	2	2	4	5	6
96629089	GEORGE LED 390 30000 840 FP	3	4	4	7	9	1	1	3	3	4



Julie

SAP Code	Product Description	C10	C13	C16	C20	B10	B13	B16	B20
96628549	JULIE 600 LED IP65 1200 865	47	61	76	9	47	61	76	9
96628548	JULIE 600 LED IP65 1800 840	22	28	35	44	21	26	33	41
96665577	JULIE 1200 LED IP65 4000 840	20	27	33	41	18	24	30	37
96630234	JULIE 1200 LED IP65 4000 840 COR MWS	20	27	33	41	18	24	30	37
96628546	JULIE 1200 LED IP65 4000 865	12	16	20	29	20	27	33	40

Maximum loading of automatic circuit breakers



Julie

SAP Code	Product Description	C10	C13	C16	C20	B10	B13	B16	B20
96665580	JULIE 1500 LED IP65 6000 840	8	10	13	16	7	8	10	12
96628547	JULIE 1500 LED IP65 6000 865	11	14	17	27	18	25	31	38
96646833	JULIE 1200 LED IP65 4000 840 EL2	12	16	20	29	20	27	33	40
96646927	JULIE 1500 LED IP65 6000 840 EL2	11	14	17	27	18	25	31	38




Lara

SAP Code	Product Description	C10	C13	C16	C20	B10	B13	B16	B20
96666105	LARA LED 300 1200 840 WH	93	121	153	187	56	72	90	112
96666106	LARA LED 300 1200 840 BLK	93	121	153	187	56	72	90	112
96648321	LARA LED 300 1200 840 WH E2 T/SWITCH	93	121	153	187	56	72	90	112
96648322	LARA LED 300 1200 840 BLK E2 T/SWITCH	93	121	153	187	56	72	90	112
96629752	LARA LED 330 2000 840 WH	70	90	110	140	65	85	105	130
96629754	LARA LED 330 2000 840 MWS WH	70	90	110	140	65	85	105	130



Leo

SAP Code	Product Description	C10	C13	C16	C20	B10	B13	B16	B20
96 630 252	LEO LED FL IP66 75W 840 PC	26	34	42	54	13	17	21	27
96 630 253	LEO LED FL IP66 100W 840 PC	8	12	16	20	4	6	8	10
96 630 254	LEO LED FL IP66 150W 840 PC	6	8	10	12	3	4	5	6
96 630 255	LEO LED FL IP66 200W 840 PC	4	6	8	10	2	3	4	5
96 630 256	LEO LED FL IP66 210W 840 PC	4	6	8	10	2	3	4	5



Ruby

SAP Code	Product Description	C10	C13	C16	C20	B10	B13	B16	B20
96628981	RUBY LED 1200x300 3200 840 FP	50	65	80	100	30	39	48	60
96628982	RUBY LED 1200x600 4500 840 FP	32	42	51	64	19	25	31	39
96631070	RUBY LED 600x300 1800 840 FP	88	114	141	176	53	69	85	106
96631071	RUBY LED 600x600 3200 840 FP	50	65	80	100	30	39	48	60